



# Paxton

## Readers and Keypads





# Paxton readers




Due to the wide range of site requirements, Paxton offers an extensive range of readers and keypads for use with our Net2 system. This booklet gives an overview of our readers to enable the correct selection based on site requirements.

The majority of Paxton readers are treated to ensure the electronic components are completely sealed making them 100% resistant to water. All of our readers are designed to operate normally in a wide range of temperatures and are made and finished with materials that are UV stable. Our readers are suitable for external use, unless otherwise stated.

Paxton Access Inc.  
138 Commerce Center  
Greenville  
SC 29615  
USA  
  
T: 877.438.7298  
[salesus@paxton-access.com](mailto:salesus@paxton-access.com)  
[www.paxton-access.com](http://www.paxton-access.com)

# Contents

<b>Proximity readers</b>	
P series readers	5
Panel mount reader	7
Metal reader	9
Marine reader	11
Long range reader	13
Architectural reader	15
Vandal proof reader	17
LCD reader	19
Easyprox nano	21
HID™ 125kHz compatible card readers	23
<b>Proximity reader keypads</b>	
KP series reader keypads	25
<b>Keypads</b>	
K series keypad	27
K series stainless steel keypads	29
Vandal resistant metal keypad	31
<b>Magstripe readers</b>	
CARDLOCK readers	33
<b>Other readers</b>	
Energy saving reader	35
Net2 GSM/Caller ID reader	37
<b>Tokens</b>	
Access tokens	39
Hands free tokens	41





## P series readers


The P series range of readers is our most popular and comprises four readers ranging in size from the P38 to the P200. A P38 fits neatly onto a door frame while the size of the P200 creates a larger token read range.

All P series readers are supplied with 2 fascias, one grey and one off-white. Other colors are available from your installer. These fascias can be replaced periodically to keep your reader looking brand new.

A mounting plate is available to allow the P75 reader to be mounted to a standard single gang backbox. In addition to the standard pre-wired version, the P75 reader is also available with screw terminals. The screw terminal version is particularly suitable for new builds or renovation projects. Our PROXIMITY P series Mifare reader is suitable for use with Mifare, EM4100 and Net2 tokens.

More information: <http://paxton.info/1138>






## Panel mount reader

Audio and video entry panels are widely used in residential and commercial buildings for controlling the access of visitors. Rather than having a separate proximity reader for controlling the access of residents or staff, the Panel mount reader is designed to be mounted within the door entry panel itself.

The reader has been designed to fit within a standard sized cut-out and most suppliers are able to provide suitably modified panels. As well as creating a more integrated installation, the Panel mount reader will also benefit from the vandal resistance offered by the metal panel within which it is housed.

More information: <http://paxton.info/1139>








## Metal reader

This rugged Metal reader is perfectly suited to a wide range of environments, from building sites to designer lobbies. The reader is encased in a solid metal housing with a durable clear window.

The reader's metal construction means that it will not be affected when mounted near metal objects, as is the case with other readers. This makes it the perfect solution for parking lot posts or aluminum door frames.

The Metal reader is available in three different materials: chrome, satin chrome and brass.

More information: <http://paxton.info/1140>






## Marine reader

The Marine reader is housed in high quality marine grade stainless steel and is built to withstand the elements as well as look elegant. Although it has been specifically designed for marine applications such as yachts, it is suitable for use anywhere.

The high visibility blue LED lighting gives a stunning visual impact. It is also used to denote access permissions; flashing green for granted and red for denied.

More information: <http://paxton.info/1141>





## Long range reader

Long range refers to the reading distance between the reader and the token. A longer range can be desirable for a number of reasons. For example, at a parking garage it is convenient to have your token read without having to leave your vehicle. Disabled users may require their tokens to be read without presenting them directly to the reader.


The Long range reader produces a read range of up to 16 feet. When using the Hands free key card, this can be extended up to 164 feet at the touch of a button. This is perfect if you want the barrier to start opening on approach.

The Long range reader also works as a close proximity reader. Therefore, hands free tokens need only be purchased for those users that require them.

The bright LED display is clearly visible from a distance and gives a clear indication of whether access has been permitted or denied.

More information: <http://paxton.info/1142>





## Architectural reader


This is a unique reader in that its appearance can be tailored to its environment. The reader consists of two parts: the reader housing and the insert. Three inserts are available from Paxton in wood, glass and stone, but others can be created in the style and material of your choice. The reader itself is available with a choice of three bezel finishes; matt black, gunmetal grey and satin chrome.

The installation of this reader gives a very low profile for a sleek and elegant look. The three white LEDs change color to indicate access permitted or access denied.

Although the reader electronics are waterproof, the use of natural materials might make it unsuitable for external environments.

More information: <http://paxton.info/1144>







## Vandal proof reader


As its name implies, this reader is suitable for vandal-prone environments. The vandal resistance of this reader comes not from a chunky metal design, but from a unique form that allows the reader itself to be embedded in the wall, and so not exposed to abuse. If you can't get to it, you can't damage it.

The Vandal proof reader is made up of two parts: a cylindrical proximity reader and a cap to mark the position of the reader. The caps are supplied in black and white with, other colors available from your installer. The Vandal proof reader can be mounted in several ways depending on the exact requirements of the site, the illustration below shows one example.

Due to the small size of the Vandal proof reader, it is also suited to environments where it is important for access control readers to be mounted discreetly.

More information: <http://paxton.info/1145>






## LCD reader


This reader is unique in the fact that the main visible face of the reader is made up of a full color, back-lit LCD screen. The LCD screen can be configured to display any image required. Different images can be displayed when a user is permitted or denied access.

The different uses for this are endless. Display a company logo with a description of the door. Use the LCD reader to control access into offices with a picture, name and job title of the person whose office it is. If a user is denied access display a message such as 'Contact security'.

Images are stored at the reader and can be easily updated using a wireless USB device.

More information: <http://paxton.info/1149>






## Easyprox nano

Easyprox nano is a Net2 access control unit in a door handle. It combines a wireless access control unit and a reader in one. Easyprox nano is supplied with everything needed to secure one door. It communicates with Net2 software at a central point using secure wireless technology.

Easyprox nano is battery powered which means that the unit is totally wireless, as it does not require mains power. Perfect for securing internal doors, the attractive slimline unit is designed to complement a range of environments.

More information: <http://paxton.info/1556>





## HID™ 125kHz compatible card readers

The HID™ reader range is a smart selection of readers compatible with HID™ format cards. The HID™ range includes the PROXIMITY P50M HID™ reader, the PROXIMITY panel mount HID™ reader and the PROXIMITY metal HID™ reader.

The panel mount reader is designed to fit seamlessly to any existing door entry panel. The stylish metal reader is ideally suited to a wide range of environments and can be mounted near metal objects without affecting the performance of the reader.


The multi-format readers can be configured to read standard 125kHz HID™ cards, making them ideal for large sites wanting to use their existing cards for their Net2 access control system.

More information: <http://paxton.info/1779>





KP50



KP75




## KP series reader keypads


The KP range consists of an all-in-one keypad and a proximity reader. They're available in two different sizes and offer more advanced security as they allow for card plus PIN (or code) with a single reader.

Each keypad has clearly numbered back-lit buttons and is supplied with a choice of dark grey or off-white bezels. Other colors are available from your installer.

A standard single gang backbox mounting plate is available for use with the KP75. Another version of the KP75 is available with screw terminals that makes it suitable for sites with pre-installed cabling.

More information: <http://paxton.info/1152>







## K series keypads


The K series range of keypads have a neat functional appearance and are available in three sizes that make them suitable for the majority of sites. Each keypad has clearly numbered back-lit buttons. Each size is useful for different situations. The K38 fits neatly onto a door frame while the larger K75 has big, easy to press buttons.

All K series keypads are supplied with two bezels, one dark grey and one off-white. Replacement bezels in a range of colors are available from your installer.

A mounting plate allows the K75 keypad to be mounted to all standard single gang backboxes. In addition to the usual pre-wired version, the K75 keypad is also available with screw terminals. This is especially useful for system refits or for new builds with pre-installed cabling.

More information: <http://paxton.info/1148>






## K series stainless steel keypads

The K series stainless steel keypad has a metal bezel and fascia. Their understated appearance and availability in three sizes makes them the ideal keypad for a variety of environments.

Each keypad within the range has a low profile (less than 5/8") that guarantees a seamless look.

A mounting plate allows the K75 keypad to be fixed to a standard single gang backbox. In addition to the usual pre-wired version, the K75 keypad is also available with screw terminals. This is especially useful for system refits or for 'new builds' with pre-installed cabling.

More information: <http://paxton.info/1150>





## Vandal resistant metal keypad

This solid metal, heavy duty keypad has been developed to stand up to abuse and is perfect for areas susceptible to vandalism. Its robustness also makes it suitable for 'physical' environments where knocks and scrapes are inevitable.

The keypad incorporates a back-lit display and embossed numbers to facilitate the accurate entering of a PIN (or code) even at night. The back-light is also used to denote access permissions; flashing green for access granted and red for access denied.

The standard mounting plate is used to fix the keypad to the surface of a wall or a standard single gang back box. The additional mounting plate incorporates screw terminals allowing cabling to be run in advance. This is useful for new builds or renovation projects. The Vandal resistant metal keypad is also supplied with security screws (and tool) to avoid tampering.

More information: <http://paxton.info/1151>







## CARDLOCK readers

The CARDLOCK black plastic reader is housed in a smart cover that fits discreetly into a number of different environments.

The CARDLOCK satin chrome reader has an exceptionally smart appearance that makes it suitable for a number of different environments. The cover is also replaceable to keep the reader looking fresh and new.

CARDLOCK readers are compatible with magstripe cards, the most economical type of access control card on the market. Their use makes these readers ideal for those sites with a high rotation of cards.

CARDLOCK readers are suitable for external use. A user physically swipes their card through the reader.

More information - Black plastic: <http://paxton.info/1146>

More information - Satin chrome: <http://paxton.info/1147>





## Energy saving reader

The Energy saving reader can be used as an electrical switch to control facilities such as lights and air conditioning. These facilities can be turned on by placing a valid proximity token in the holder on the front of the reader. Removing the card turns the equipment off. Of course only cards that have been given the necessary permissions can use the equipment.

Typical uses for the Energy saving reader include using access cards to switch on lights, air conditioning and audio/visual equipment in a meeting room. Other uses include restricting who is able to operate equipment that requires specialist training such as in a gym or a factory.

Using the Energy saving reader is an excellent way to get the most out of your access control system and cut down on energy wastage.

More information: <http://paxton.info/1154>





## Caller ID/GSM reader

The Net2 Caller ID/GSM reader allows you to unlock a door using any phone as a key, by communicating via cell phone network.

When access is required a registered user simply makes a call from their phone to the Net2 Caller ID/GSM reader and the door will unlock. It's a really easy way to secure gates and barriers or any remote site that's hard to reach.

The Net2 Caller ID/GSM reader helps you save money on security call outs and manned guarding. Once a user's phone has been registered it is completely free to call the Net2 Caller ID/GSM reader. This removes the cost and inconvenience of distributing access cards to visitors who only require occasional access.

More information: <http://paxton.info/1154>



## Access tokens

At Paxton we offer a varied choice of tokens for a range of needs. Our best-selling keyfobs are smart in appearance and come with a lifetime guarantee. They are so robust, they can even go through the wash!

Watchprox is a miniature proximity token that fits discreetly to your wristwatch so you always have a token on you. Our adhesive discs are ideal for attaching to a cell phone or wallet for really convenient access. Paxton cards can be used with our card designer software, meaning your access cards double up as ID cards.

More information: <http://paxton.info/1403>







## Hands free tokens

Hands free access control means you do not have to present your token directly to a reader to gain access. The token can be read from within a pocket or purse, no hands are required.

This is great for places where swift access is a must or where access for disabled people is required. Essentially, hands free is perfect in any situation where a user has difficulty directly presenting their token for entry. Paxton hands free tokens work in conjunction with a Hands free interface to unlock a door, using unique wireless technology.

The slimline tokens can be attached to a keyring, wheelchair or stored discreetly about your person.

More information: <http://paxton.info/1431>









Paxton Access Inc.  
138 Commerce Center  
Greenville  
SC 29615  
USA

T: 877.438.7298  
[salesus@paxton-access.com](mailto:salesus@paxton-access.com)  
[www.paxton-access.com](http://www.paxton-access.com)

All information correct at the point of publication, but may be subject to change without notice.

April 2013